

SHINA

The leading manufacturer of medical devices for Diabetes and supplies Safety syringes and Needles.



U.S. FDA 510K

ISO13485:2016

KFDA GMP

Insulin Syringe & Safety Syringe, Pen needle, Blood Collection needle Medical Device MFG.
U.S. FDA 510K, ISO 13485, KFDA GMP Certified.



#1005, 28, Hwangsaoul-ro 200beon-gil, Bundang-gu, Seongnam-si,
Gyeonggi-do, 13595, South Korea. (Owner's Tower, Sunae-dong)
Tel. 82-31-711-8180 / Fax. 82-31-711-8190 / E-Mail. shina@shina.co.kr

www.shinacor.co.kr

Since 1987

SHINA

We are an alternative source for quality life disability due to diabetes and are always with our customer as your lifetime companion.

Lifetime
Companion...



01 Diabetes Care

Insulin Syringes

Description

The high transparency of the barrel permits the end user a strict control on the foreign substance and liquid flow.
 The inerasable graduation permits an easy reading, 40 unit and 100 unit are available.
 The medical grade silicone oil is used as the lubricant the purpose of getting a smooth plunger movement.
 Sterilized by EO gas, non-toxic, non-pyrogenic, single use only.
 Material for barrel and plunger: medical grade PP(poly-propylene)
 Material for gasket natural rubber/latex-free.
 Fixed needle, no dead space.
 Ultra fine needle.
 Packing : Polybag(10pcs/bag) / Individual blister
 Volume : 0.3mL / 0.5mL / 1.0mL

SPEC.

Gauge 28G, 29G, 30G, 31G, 32G, 33G
Length 5mm, 6mm, 8mm, 12.7mm



01 Diabetes Care



Pen Needles

Description

Tri-bevel needle tip for easier insertion.
 Medical grade silicone surface treatment for advanced injection comfort.
 Easy flow of Insulin, ultra thin wall.
 Extensive range of needle lengths suitable for all types of patients.
 Compatible with all major brand Insulin delivery pens.
 Sterile, Non-toxic, Non-Pyrogenic.

SPEC.

Gauge 29G, 30G, 31G, 32G, 33G, 34G
Length 4mm, 5mm, 6mm, 8mm, 10mm, 12.7mm

02 Safety & Specialty

Insulin Safety Syringes

Description

Insulin safety syringe with permanently attached needle are designed to protect patients and healthcare professionals and minimize medication waste.

SPEC.

0.5mL 29G X 1/2" (12.7mm)
1.0mL 29G X 1/2" (12.7mm)



Tuberculin Safety Syringes

Description

Tuberculin safety syringe with permanently attached needle are designed to protect patients and healthcare professionals and minimize medication waste.

SPEC.

1.0mL 28G X 1/2" (12.7mm)
1.0mL 27G X 5/8" (15.9mm)
1.0mL 27G X 1/2" (12.7mm)
1.0mL 25G X 5/8" (15.9mm)
1.0mL 25G X 1" (25.4mm)



Safety Disposable Syringes

Description

General Syringe using at hospital, 3mL safety syringe is designed to protect patients and healthcare professionals from needle-stick injury.

SPEC.

3.0mL
Needle : Convertible Various Sizes



02 Safety & Specialty

Safety Needles & Syringe Combo

Description

Needle bevel oriented to the safety cover to facilitate low-angle injections. Easy to use, allow one-handed activation via two ways. (thumb or surface) Audible and tactile click confirms safety activation. High-transparency syringe barrel.

SPEC.

1.0mL 23G X 1" (25.4mm)
1.0mL 23G X 5/8" (15.9mm)
1.0mL 25G X 1" (25.4mm)
1.0mL 25G X 5/8" (15.9mm)



Match with various syringes with luer adapter



LDS(Low Dead Space) Syringes

Description

Specialty syringe with permanently attached needle is designed to minimize medication waste.

SPEC.

1.0mL 22G X 1 1/2" (38.1mm)
1.0mL 23G X 1" (25.4mm)
1.0mL 25G X 1" (25.4mm)



03 Disposable Needles

Description

Made of high quality stainless steel. With large ID and high flow. Semi-transparent needle-hub for the convenient observation of blood reflux. Delicately-designed needle-point with features of sharpness, smooth puncture, less damage to the tissue, less painful feeling to the patient. Size distinguished by the needle-hub & primes color for the clear recognition. The flexible supply form : in bulk or pack, sterilized or unsterilized. Production of all kinds of special needles required by our customers. Packing types : in bulk or in blister.

SPEC.

Gauge 17G, 18G, 19G, 20G, 21G, 22G, 23G, 24G, 25G, 26G, 27G, 28G, 29G, 30G
Length 1/2" (12.7mm), 1" (25.4mm), 1 1/4" (31.8mm), 1 1/2" (38.1mm)



04 Blood Collection Needles

Description

Blood Collection Needle is made of stainless steel and plastic luer adapter. Needle point is tri-bevel cut which minimize the pain while puncture into vein, it use together with vacuum blood collection tube for blood collecting, sampling and tests in clinic and hospitals. Blood Collection Needle is a sterile single-use disposable product. The needles are non-toxic and non-pyrogenic.

SPEC.	Color	Length
20G X 1"	Yellow ●	1" (25mm)
20G X 1 1/2"	Yellow ●	1 1/2" (38mm)
21G X 1"	Green ●	1" (25mm)
21G X 1 1/2"	Green ●	1 1/2" (38mm)
22G X 1"	Black ●	1" (25mm)
22G X 1 1/2"	Black ●	1 1/2" (38mm)




05 Cannula

Description

Cannula for Disposable Needle, Insulin syringe, Pen needle, Blood collection needle, Lancet, etc.
 Material : SUS 304
 Can make various sizes.

ISO SPEC.



RW - Regular Wall TW - Thin Wall
 ETW - Extra Thin Wall UTW - Ultra Thin Wall



GAUGE	Hub Color	Outside Diameter (mm)	Inside Diameter. (mm)		
	ISO6009		ISO	RW	TW
32R - 0.23	Deep green (3405C)	0.229 ~ 0.241	0.089 ~ 0.104	0.105 ~ 0.124	0.125 ~ 0.145 / UTW 0.146 ~
31R - 0.25	White	0.254 ~ 0.267	0.114 ~ 0.124	0.125 ~ 0.145	0.146 ~ 0.175 / UTW 0.176 ~
30R - 0.30	Yellow (122C)	0.298 ~ 0.320	0.133 ~ 0.164	0.165 ~ 0.189	0.190 ~ 0.239 / UTW 0.240 ~
29R - 0.33	Red (1785C)	0.324 ~ 0.351	0.133 ~ 0.189	0.190 ~ 0.239	0.240 ~ 0.264 / UTW 0.265 ~
28R - 0.36	Blue-green (320C)	0.349 ~ 0.370	0.133 ~ 0.189	0.190 ~	-
27R - 0.40	Medium grey (429C)	0.400 ~ 0.420	0.184 ~ 0.240	0.241 ~	-
26R - 0.45	Brown (478C)	0.440 ~ 0.470	0.232 ~ 0.291	0.292 ~	-
25R - 0.50	Orange (1505C)	0.500 ~ 0.530	0.232 ~ 0.291	0.292 ~	-
24R - 0.55	Medium purple (199C)	0.550 ~ 0.580	0.280 ~ 0.342	0.343 ~	-
23T - 0.60	Deep blue (299C)	0.600 ~ 0.673	0.317 ~ 0.369	0.370 ~ 0.459	0.460 ~
22T - 0.70	Black (447C)	0.698 ~ 0.730	0.390 ~ 0.439	0.440 ~ 0.521	0.522 ~
21T - 0.80	Deep green (3405C)	0.800 ~ 0.830	0.490 ~ 0.546	0.547 ~ 0.609	0.610 ~ 0.644 / UTW 0.645 ~
20T - 0.90	Yellow (122C)	0.860 ~ 0.920	0.560 ~ 0.634	0.635 ~ 0.686	0.687 ~ 0.712 / UTW 0.713 ~
19T - 1.10	Cream (155C)	1.030 ~ 1.100	0.648 ~ 0.749	0.750 ~ 0.849	0.850 ~ 0.890 / UTW 0.891 ~
18T - 1.20	Pink (231C)	1.200 ~ 1.300	0.790 ~ 0.909	0.910 ~ 1.040	1.041 ~
17T - 1.40	Red-violet (528C)	1.400 ~ 1.510	0.950 ~ 1.155	1.156 ~ 1.243	1.244 ~
16T - 1.60	White	1.600 ~ 1.690	1.100 ~ 1.282	1.283 ~ 1.383	1.390 ~
15T - 1.80	Blue-grey (431C)	1.750 ~ 1.900	1.300 ~ 1.459	1.460 ~ 1.559	1.560 ~
14T - 2.10	Pale green	1.950 ~ 2.150	1.500 ~ 1.599	1.600 ~ 1.726	1.727 ~
13T - 2.40	Purple	2.300 ~ 2.500	1.700 ~ 1.955	1.956 ~	-
12T - 2.70	Pale blue	2.650 ~ 2.850	1.950 ~ 2.234	2.235 ~	-
11T - 3.00	Green-yellow	2.950 ~ 3.150	2.200 ~ 2.463	2.464 ~	-
10T - 3.40	Olive brown	3.300 ~ 3.500	2.500 ~ 2.818	2.819 ~	-